

POWER

PALIFT



HOOKLOADER – TYPE P




PALFINGER

The **POWER** hookloader allows the handling, transport and tipping of containers with similar lengths whilst ensuring an ideal load distribution.

Due to the conception, the **POWER** hookloader offers the highest lifting capacity on the market.

Concept Advantages :

- low loading angle
- high lifting capacity
- robust and durable
- powerful



THE FRUIT OF GUIMA-PALFINGER'S KNOW-HOW



POWER with additional articulated arm. Designed for the handling of containers over a particularly wide range of lengths. The additional articulated arm influences the geometry of the working curve. The easy pickup angle allows for a smooth pick up operation of the container.
POWER A - the ideal version for trailer loading and road/rail transfer stations.



Giant
POWER with telescopic arm



Hydraulic container locking



Pneumatic safety



Hydraulic front locking




Roller stabilizer



Rear lifting device


POWER – Basic equipment



Model	Loading capacity (t)	Weight (kg)	Mini int. container length	Maxi int. container length
P 5	5	800	3,20 to 4,40 m *	3,60 to 5,00 m *
P 7	7	920	3,40 to 5,20 m *	3,80 to 5,80 m *
P 9	9	1100	3,40 to 5,20 m *	3,80 to 5,80 m *
P 12	12	1500	4,20 to 5,60 m *	4,80 to 6,40 m *
P 16	16	1700	4,20 to 6,20 m *	4,80 to 7,00 m *
P 20	20	2000	4,60 to 7,00 m *	5,40 to 7,60 m *
P 22	22	2150	4,60 to 7,00 m *	5,40 to 7,60 m *
P 24	24	2300	4,80 to 7,00 m *	5,60 to 7,60 m *
P 30	30	3100	6,80 to 7,60 m *	7,20 to 8,00 m *

* Must be confirmed by the vehicle axle load distribution

POWER A – with articulated arm



Model	Loading capacity (t)	Weight (kg)	Mini int. container length	Maxi int. container length
P 16 A	16	2000	4,00 to 5,60 m *	5,20 to 7,20 m *
P 20 A	20	2450	4,40 to 6,00 m *	5,60 to 7,60 m *
P 22 A	22	2600	4,40 to 6,00 m *	6,00 to 7,60 m *
P 24 A	24	2800	4,40 to 6,00 m *	6,00 to 7,60 m *
P 30 A	30	3700	6,00 to 6,60 m *	7,40 to 8,00 m *

* Must be confirmed by the vehicle axle load distribution



With over 30 years experience in hookloaders our company, subsidiary of PALFINGER AG, is present in more than 80 countries through a network of 1400 services and sale points and represents 1800 employees.

Country-specific regulations are to be observed upon attachment.

Made by



We reserve the right to change design and specification without prior notice.

www.guimapalfinger.com

09/03

www.palfinger.com